

Subject Index of Volume 159

Absorption

- Anthracene-bound sulfonium salts: highly efficient photoinitiators for cationic polymerization. A new synthesis of sulfonium salts which avoids the use of silver salts, 161

Active center lifetime

- Kinetic studies of cationic photopolymerizations of phenyl glycidyl ether: termination/trapping rate constants for iodonium photoinitiators, 189

Agricultural chemicals

- Environmental remediation by an integrated microwave/UV-illumination technique. IV. Non-thermal effects in the microwave-assisted degradation of 2,4-dichlorophenoxyacetic acid in UV-irradiated $\text{TiO}_2/\text{H}_2\text{O}$ dispersions, 289

Allenyl-naphthol

- NMR characterization of allenyl-naphthol in the photochromic process of 3,3-diphenyl-[3H]-naphtho[2-1,b]pyran, 227

Anthracene

- Supramolecular interactions of hexacyanocobaltate(III) with polyamine receptors containing a terminal anthracene sensor, 253

Anthracene derivatives

- Anthracene electron-transfer photosensitizers for onium salt induced cationic photopolymerizations, 173

AO7

- Visible light and Fe(III)-mediated degradation of Acid Orange 7 in the absence of H_2O_2 , 241

AOP

- An innovative coupled solar-biological system at field pilot scale for the treatment of biorecalcitrant pollutants, 89

Benzene

- Photocatalytic degradation of gaseous benzene in air streams by using an optical fiber photoreactor, 47

2-Benzoyl-4-benzoyloxyphenol

- Facile synthesis and photo-Fries rearrangement of 2-benzoyl-4-benzoyloxyphenol leading to dibenzoyldihydroxybenzene derivatives, 17

Bond dissociation energy

- Investigation of cleavage processes in photoinitiators: from experiments to molecular modeling, 127

Carboxylate ligand

- pH-dependent absorption and emission properties of a Re^{I} complex working as a carboxylate ligand for Cu^{2+} , 249

Cationic photopolymerization

- Kinetic studies of cationic photopolymerizations of phenyl glycidyl ether: termination/trapping rate constants for iodonium photoinitiators, 189

Chain scission

- Kinetic aspects of chitosan fragmentation by femtosecond laser, 207

Chain transfer

- Models of multivinyl free radical photopolymerization kinetics, 135

Charge transfer

- The interactions between tetrapyrrolyl porphyrin and viologen units covalently linked to polymers, 259

Chemical sensors

- Supramolecular interactions of hexacyanocobaltate(III) with polyamine receptors containing a terminal anthracene sensor, 253

Chemical treatments

- Influence of chemical treatments on the photoinduced charge carrier kinetics of nanocrystalline porous TiO_2 films, 41

Chitosan

- Kinetic aspects of chitosan fragmentation by femtosecond laser, 207

Chlortoluron

- Photodegradation of chlortoluron sensitised by iron(III) aquacomplexes, 81

Chromene

- New halogenated diphenyl-2H-benzo[h]chromene derivatives: synthesis and optical properties, 7

Chromophore

- Free radical macrophotoinitiators: an overview on recent advances, 103

CLDT

- Models of multivinyl free radical photopolymerization kinetics, 135

Coinitiators

- Sulfur-containing initiators and coinitiators of free radical polymerization, 115

Coumarin334

- Sensitization of photoeffects by hyper-Rayleigh scattering (HRS), 199

Coupled oxidation systems

- An innovative coupled solar-biological system at field pilot scale for the treatment of biorecalcitrant pollutants, 89

Cu^{2+}

- pH-dependent absorption and emission properties of a Re^{I} complex working as a carboxylate ligand for Cu^{2+} , 249

N-demethylation

- Transients in the photoreduction of dinitroarenes by triethylamine and *N,N*-dialkylanilines in benzene, 219

Dibenzoyldihydroxybenzene

- Facile synthesis and photo-Fries rearrangement of 2-benzoyl-4-benzoyloxyphenol leading to dibenzoyldihydroxybenzene derivatives, 17

2,4-Dichlorophenoxyacetic acid

- Environmental remediation by an integrated microwave/UV-illumination technique. IV. Non-thermal effects in the microwave-assisted degradation of 2,4-dichlorophenoxyacetic acid in UV-irradiated $\text{TiO}_2/\text{H}_2\text{O}$ dispersions, 289

Dicyanomethylene

- Synthesis and photochromism of *E,E*-3,4-(3,5-dimethoxybenzylidene)-succinic anhydride and its infra red active 2-dicyanomethylene derivative, 1

Dinitroarenes

- Transients in the photoreduction of dinitroarenes by triethylamine and *N,N*-dialkylanilines in benzene, 219

Dye

- Visible light and Fe(III)-mediated degradation of Acid Orange 7 in the absence of H_2O_2 , 241

Electrochemical impedance spectroscopy

- Performance and stability of TiO_2 /dye solar cells assembled with flexible electrodes and a polymer electrolyte, 33

Electron beam irradiation

- Ionic and excited species in irradiated poly(ethylene terephthalate) doped with pyrene, 23

Electron transfer

- Anthracene-bound sulfonium salts: highly efficient photoinitiators for cationic polymerization. A new synthesis of sulfonium salts which avoids the use of silver salts, 161

Excitation electron transfer

- The interactions between tetrapyrrolyl porphyrin and viologen units covalently linked to polymers, 259

 ^{19}F NMR

- New halogenated diphenyl-2*H*-benzo[*h*]chromene derivatives: synthesis and optical properties, 7

Fe(III) aquacomplexes

- Photodegradation of chlortoluron sensitised by iron(III) aquacomplexes, 81

Ferric ions

- Visible light and Fe(III)-mediated degradation of Acid Orange 7 in the absence of H_2O_2 , 241

Fixed Bed Reactor

- An innovative coupled solar-biological system at field pilot scale for the treatment of biorecalcitrant pollutants, 89

Fluorescence

- Anthracene-bound sulfonium salts: highly efficient photoinitiators for cationic polymerization. A new synthesis of sulfonium salts which avoids the use of silver salts, 161
- The interactions between tetrapyrrolyl porphyrin and viologen units covalently linked to polymers, 259

Fluorescent

- Supramolecular interactions of hexacyanocobaltate(III) with polyamine receptors containing a terminal anthracene sensor, 253

Free radical polymerization

- Photoinitiated polymerization of methyl methacrylate by phenacyl type salts, 151

Fulgides

- Synthesis and photochromism of *E,E*-3,4-(3,5-dimethoxybenzylidene)-succinic anhydride and its infra red active 2-dicyanomethylene derivative, 1

Herbicides

- Factors influencing the photocatalytic degradation of sulfonylurea herbicides by TiO_2 aqueous suspension, 71

Homogeneous photocatalysis

- Photodegradation of chlortoluron sensitised by iron(III) aquacomplexes, 81

Hyper-Rayleigh scattering

- Sensitization of photoeffects by hyper-Rayleigh scattering (HRS), 199

Infrared active

- Synthesis and photochromism of *E,E*-3,4-(3,5-dimethoxybenzylidene)-succinic anhydride and its infra red active 2-dicyanomethylene derivative, 1

Ion recombination

- Ionic and excited species in irradiated poly(ethylene terephthalate) doped with pyrene, 23

Iron complexes

- The photoinitiation of MMA polymerization in the presence of iron complexes, 145

Isomerization

- Photochromism of nitrospironaphthoxazines and spiroanthroxazine, 233

Kinetic rate constants

- Kinetic studies of cationic photopolymerizations of phenyl glycidyl ether: termination/trapping rate constants for iodonium photoinitiators, 189

Kinetic studies

- New halogenated diphenyl-2*H*-benzo[*h*]chromene derivatives: synthesis and optical properties, 7

Kinetics

- Kinetic aspects of chitosan fragmentation by femtosecond laser, 207

Laser flash

- Anthracene-bound sulfonium salts: highly efficient photoinitiators for cationic polymerization. A new synthesis of sulfonium salts which avoids the use of silver salts, 161

Macrophotoinitiators

- Free radical macrophotoinitiators: an overview on recent advances, 103

Microwave radiation

- Environmental remediation by an integrated microwave/UV-illumination technique. IV. Non-thermal effects in the microwave-assisted degradation of 2,4-dichlorophenoxyacetic acid in UV-irradiated $\text{TiO}_2/\text{H}_2\text{O}$ dispersions, 289

Mineralisation

- Photodegradation of chlortoluron sensitised by iron(III) aquacomplexes, 81

MMA

- The photoinitiation of MMA polymerization in the presence of iron complexes, 145

Multivinyl

- Models of multivinyl free radical photopolymerization kinetics, 135

Nanocrystalline porous TiO_2 films

- Influence of chemical treatments on the photoinduced charge carrier kinetics of nanocrystalline porous TiO_2 films, 41

Naphthopyrans

- NMR characterization of allenyl-naphthol in the photochromic process of 3,3-diphenyl-[3*H*]-naphtho[2-1, *b*]pyran, 227

Nitrofurane derivatives

- Primary processes of photodecomposition of 2-(5'-nitro-2'-furyl)-ethenyl-4- $\{N$ -[4'-(*N,N*-diethylamino)-1'-methylbutyl] carbamoyl} quinoline. Effect of oxygen and compound concentration, 213

NMR spectroscopy

- NMR characterization of allenyl-naphthol in the photochromic process of 3,3-diphenyl-[3*H*]-naphtho[2-1, *b*]pyran, 227

Non-stoichiometry

- A relation between the non-stoichiometry and hydroxyl radical generated at photocatalytic TiO_2 on 4CP decomposition, 301

OH radical

- A relation between the non-stoichiometry and hydroxyl radical generated at photocatalytic TiO_2 on 4CP decomposition, 301

Optical fiber

- Photocatalytic degradation of gaseous benzene in air streams by using an optical fiber photoreactor, 47

Organic hole scavengers

- Effects of organic hole scavengers on the photocatalytic reduction of selenium anions, 273

Oxide semiconductors

- Phthalocyanine modified TiO_2 or WO_3 -catalysts for photooxidation of sulfide and thiosulfate ions upon irradiation with visible light, 281

Oxygen

- Models of multivinyl free radical photopolymerization kinetics, 135

Phenacyl onium salts

- Photoinitiated polymerization of methyl methacrylate by phenacyl type salts, 151

Phenol

- Photocatalytic degradability of substituted phenols over UV irradiated TiO_2 , 61

Photobleaching

- Primary processes of photodecomposition of 2-(5'-nitro-2'-furyl)-ethenyl-4-{*N*-[4'-(*N,N*-diethylamino)-1'-methylbutyl] carbamoyl} quinoline. Effect of oxygen and compound concentration, 213

Photocatalysis

- Photocatalytic degradation of gaseous benzene in air streams by using an optical fiber photoreactor, 47
- Environmental remediation by an integrated microwave/UV-illumination technique. IV. Non-thermal effects in the microwave-assisted degradation of 2,4-dichlorophenoxyacetic acid in UV-irradiated $\text{TiO}_2/\text{H}_2\text{O}$ dispersions, 289

Photocatalytic

- A relation between the non-stoichiometry and hydroxyl radical generated at photocatalytic TiO_2 on 4CP decomposition, 301

Photocatalytic degradation

- Factors influencing the photocatalytic degradation of sulfonylurea herbicides by TiO_2 aqueous suspension, 71

Photocatalytic detoxification

- Phthalocyanine modified TiO_2 or WO_3 -catalysts for photooxidation of sulfide and thiosulfate ions upon irradiation with visible light, 281

Photocatalytic oxidation

- Photocatalytic degradability of substituted phenols over UV irradiated TiO_2 , 61

Photochromic

- Synthesis and photochromism of *E,E*-3,4-(3,5-dimethoxybenzylidene)-succinic anhydride and its infra red active 2-dicyanomethylene derivative, 1

Photochromism

- Synthesis and photochromism of *E,E*-3,4-(3,5-dimethoxybenzylidene)-succinic anhydride and its infra red active 2-dicyanomethylene derivative, 1
- New halogenated diphenyl-2*H*-benzo[*h*]chromene derivatives: synthesis and optical properties, 7
- NMR characterization of allenyl-naphthol in the photochromic process of 3,3-diphenyl-[3*H*]-naphtho[2-1, *b*]pyran, 227
- Photochromism of nitrospironaphthoxazines and spiroanthroxazine, 233

Photocleavage

- Investigation of cleavage processes in photoinitiators: from experiments to molecular modeling, 127

Photodegradation

- Photocatalytic degradability of substituted phenols over UV irradiated TiO_2 , 61
- Environmental remediation by an integrated microwave/UV-illumination technique. IV. Non-thermal effects in the microwave-assisted degradation of 2,4-dichlorophenoxyacetic acid in UV-irradiated $\text{TiO}_2/\text{H}_2\text{O}$ dispersions, 289

Photo-Fenton

- An innovative coupled solar-biological system at field pilot scale for the treatment of biorecalcitrant pollutants, 89

Photo-Fries rearrangement

- Facile synthesis and photo-Fries rearrangement of 2-benzoyl-4-benzoyloxyphenol leading to dibenzoyldihydroxybenzene derivatives, 17

Photoinduced charge carrier kinetics

- Influence of chemical treatments on the photoinduced charge carrier kinetics of nanocrystalline porous TiO_2 films, 41

Photoinitiated cationic polymerization

- Anthracene electron-transfer photosensitizers for onium salt induced cationic photopolymerizations, 173

Photoinitiated polymerization

- Photoinitiated polymerization of methyl methacrylate by phenacyl type salts, 151

Photoinitiation

- Free radical macrophotoinitiators: an overview on recent advances, 103
- The photoinitiation of MMA polymerization in the presence of iron complexes, 145

Photoinitiator

- Investigation of cleavage processes in photoinitiators: from experiments to molecular modeling, 127
- Anthracene electron-transfer photosensitizers for onium salt induced cationic photopolymerizations, 173

Photolysis

- Visible light and Fe(III)-mediated degradation of Acid Orange 7 in the absence of H_2O_2 , 241

Photooxidation

- Environmental remediation by an integrated microwave/UV-illumination technique. IV. Non-thermal effects in the microwave-assisted degradation of 2,4-dichlorophenoxyacetic acid in UV-irradiated $\text{TiO}_2/\text{H}_2\text{O}$ dispersions, 289

Photopolymerisation

- Free radical macrophotoinitiators: an overview on recent advances, 103
- Models of multivinyl free radical photopolymerization kinetics, 135

Photoreactor

- Photocatalytic degradation of gaseous benzene in air streams by using an optical fiber photoreactor, 47

Photoreduction

- Transients in the photoreduction of dinitroarenes by triethylamine and *N,N*-dialkylanilines in benzene, 219
- Effects of organic hole scavengers on the photocatalytic reduction of selenium anions, 273

Photoresists

- Anthracene-bound sulfonium salts: highly efficient photoinitiators for cationic polymerization. A new synthesis of sulfonium salts which avoids the use of silver salts, 161

Photosensitization

- Anthracene-bound sulfonium salts: highly efficient photoinitiators for cationic polymerization. A new synthesis of sulfonium salts which avoids the use of silver salts, 161
- Anthracene electron-transfer photosensitizers for onium salt induced cationic photopolymerizations, 173

Phototherapy

- Primary processes of photodecomposition of 2-(5'-nitro-2'-furyl)-ethenyl-4-{*N*-[4'-(*N,N*-diethylamino)-1'-methylbutyl] carbamoyl} quinoline. Effect of oxygen and compound concentration, 213

Photothermal spectroscopy

- The interactions between tetrapyrrolyl porphyrin and viologen units covalently linked to polymers, 259

Phototransformation

- Photodegradation of chlortoluron sensitised by iron(III) aquacomplexes, 81

Phthalocyanine semiconductors

- Phthalocyanine modified TiO_2 or WO_3 -catalysts for photooxidation of sulfide and thiosulfate ions upon irradiation with visible light, 281

Pilot scale reactor

- An innovative coupled solar-biological system at field pilot scale for the treatment of biorecalcitrant pollutants, 89

Poly(ethylene terephthalate)

- Ionic and excited species in irradiated poly(ethylene terephthalate) doped with pyrene, 23

Polyamine

- Supramolecular interactions of hexacyanocobaltate(III) with polyamine receptors containing a terminal anthracene sensor, 253

Polydispersity

- Kinetic aspects of chitosan fragmentation by femtosecond laser, 207

Polymer

- The interactions between tetrapyrrolyl porphyrin and viologen units covalently linked to polymers, 259

- Polymer electrolyte
Performance and stability of TiO_2 /dye solar cells assembled with flexible electrodes and a polymer electrolyte, 33
- Polymerization
Sulfur-containing initiators and coinitiators of free radical polymerization, 115
- Porphyrin
The interactions between tetrapyrrolyl porphyrin and viologen units covalently linked to polymers, 259
- Propagation
Kinetic studies of cationic photopolymerizations of phenyl glycidyl ether: termination/trapping rate constants for iodonium photoinitiators, 189
- Pyrene
Ionic and excited species in irradiated poly(ethylene terephthalate) doped with pyrene, 23
- Quantum efficiency
Factors influencing the photocatalytic degradation of sulfonylurea herbicides by TiO_2 aqueous suspension, 71
- Quantum yield
Photocatalytic degradation of gaseous benzene in air streams by using an optical fiber photoreactor, 47
Photochromism of nitrospironaphthoxazines and spiroanthroxazine, 233
- Quenching by oxygen
Primary processes of photodecomposition of 2-(5'-nitro-2'-furyl)-ethenyl-4-[N-[4'-(N,N-diethylamino)-1'-methylbutyl] carbamoyl] quinoline. Effect of oxygen and compound concentration, 213
- Quinifuryl
Primary processes of photodecomposition of 2-(5'-nitro-2'-furyl)-ethenyl-4-[N-[4'-(N,N-diethylamino)-1'-methylbutyl] carbamoyl] quinoline. Effect of oxygen and compound concentration, 213
- Radicals
Transients in the photoreduction of dinitroarenes by triethylamine and N,N-dialkylanilines in benzene, 219
- Radiothermoluminescence
Ionic and excited species in irradiated poly(ethylene terephthalate) doped with pyrene, 23
- Redox potentials
Anthracene-bound sulfonium salts: highly efficient photoinitiators for cationic polymerization. A new synthesis of sulfonium salts which avoids the use of silver salts, 161
- Re^I
pH-dependent absorption and emission properties of a Re^I complex working as a carboxylate ligand for Cu^{2+} , 249
- Relaxation phenomena
Ionic and excited species in irradiated poly(ethylene terephthalate) doped with pyrene, 23
- Selenate
Effects of organic hole scavengers on the photocatalytic reduction of selenium anions, 273
- Selenite
Effects of organic hole scavengers on the photocatalytic reduction of selenium anions, 273
- Simulation
Models of multivinyl free radical photopolymerization kinetics, 135
- Solar photocatalysis
An innovative coupled solar-biological system at field pilot scale for the treatment of biorecalcitrant pollutants, 89
- Spirooxazine
Photochromism of nitrospironaphthoxazines and spiroanthroxazine, 233
- Sulfide
Phthalocyanine modified TiO_2 or WO_3 -catalysts for photooxidation of sulfide and thiosulfate ions upon irradiation with visible light, 281
- Sulfonylurea degradation
Factors influencing the photocatalytic degradation of sulfonylurea herbicides by TiO_2 aqueous suspension, 71
- Sulfur-containing initiator
Sulfur-containing initiators and coinitiators of free radical polymerization, 115
- Supramolecular
Supramolecular interactions of hexacyanocobaltate(III) with polyamine receptors containing a terminal anthracene sensor, 253
- Synthesis
Anthracene-bound sulfonium salts: highly efficient photoinitiators for cationic polymerization. A new synthesis of sulfonium salts which avoids the use of silver salts, 161
- Termination
Kinetic studies of cationic photopolymerizations of phenyl glycidyl ether: termination/trapping rate constants for iodonium photoinitiators, 189
- Thermal bleaching rate constant
New halogenated diphenyl-2H-benzo[h]chromene derivatives: synthesis and optical properties, 7
- Thiosulfate
Phthalocyanine modified TiO_2 or WO_3 -catalysts for photooxidation of sulfide and thiosulfate ions upon irradiation with visible light, 281
- Time-resolved microwave conductivity
Influence of chemical treatments on the photoinduced charge carrier kinetics of nanocrystalline porous TiO_2 films, 41
- TiO_2
Photocatalytic degradation of gaseous benzene in air streams by using an optical fiber photoreactor, 47
Factors influencing the photocatalytic degradation of sulfonylurea herbicides by TiO_2 aqueous suspension, 71
A relation between the non-stoichiometry and hydroxyl radical generated at photocatalytic TiO_2 on 4CP decomposition, 301
- TiO_2 and Hammett constants
Photocatalytic degradability of substituted phenols over UV irradiated TiO_2 , 61
- TiO_2 /dye solar cell
Performance and stability of TiO_2 /dye solar cells assembled with flexible electrodes and a polymer electrolyte, 33
- Titanium dioxide
Effects of organic hole scavengers on the photocatalytic reduction of selenium anions, 273
Environmental remediation by an integrated microwave/UV-illumination technique. IV. Non-thermal effects in the microwave-assisted degradation of 2,4-dichlorophenoxyacetic acid in UV-irradiated $\text{TiO}_2/\text{H}_2\text{O}$ dispersions, 289
- Transient intermediates
Anthracene-bound sulfonium salts: highly efficient photoinitiators for cationic polymerization. A new synthesis of sulfonium salts which avoids the use of silver salts, 161
- Transient photoconductivity decays
Influence of chemical treatments on the photoinduced charge carrier kinetics of nanocrystalline porous TiO_2 films, 41
- Triplet state
Primary processes of photodecomposition of 2-(5'-nitro-2'-furyl)-ethenyl-4-[N-[4'-(N,N-diethylamino)-1'-methylbutyl] carbamoyl] quinoline. Effect of oxygen and compound concentration, 213
Transients in the photoreduction of dinitroarenes by triethylamine and N,N-dialkylanilines in benzene, 219
Photochromism of nitrospironaphthoxazines and spiroanthroxazine, 233
The interactions between tetrapyrrolyl porphyrin and viologen units covalently linked to polymers, 259
- Ultrafast laser
Kinetic aspects of chitosan fragmentation by femtosecond laser, 207

UV curing

Anthracene-bound sulfonium salts: highly efficient photoinitiators for cationic polymerization. A new synthesis of sulfonium salts which avoids the use of silver salts, 161

Viologen

The interactions between tetrapyrrolyl porphyrin and viologen units covalently linked to polymers, 259

Visible light

Visible light and Fe(III)-mediated degradation of Acid Orange 7 in the absence of H_2O_2 , 241

Phthalocyanine modified TiO_2 or WO_3 -catalysts for photooxidation of sulfide and thiosulfate ions upon irradiation with visible light, 281

Wastewater treatment

An innovative coupled solar-biological system at field pilot scale for the treatment of biorecalcitrant pollutants, 89

Water treatment


Visible light and Fe(III)-mediated degradation of Acid Orange 7 in the absence of H_2O_2 , 241

Water-soluble photoinitiators

Free radical macrophotoinitiators: an overview on recent advances, 103

Zwitterionic polymerization

Photoinitiated polymerization of methyl methacrylate by phenacyl type salts, 151



Digitized by the Internet Archive
in 2023 with funding from
Kahle/Austin Foundation

CONTENTS direct

The FREE e-mail service which delivers Elsevier Science book and journal tables of contents directly to your PC

CONTENTS
direct

REGISTER TODAY

Sign-up is simple!

- 1 ALL YOU HAVE TO DO IS VISIT THE CONTENTSDIRECT WEBSITE
- 2 FOLLOW THE INSTRUCTIONS TO REGISTER YOUR BOOK AND JOURNAL INTERESTS ONLINE
- 3 THEN SIT BACK AND ENJOY ADVANCE E-MAIL NOTIFICATION OF THE VERY LATEST RESEARCH IN YOUR AREAS OF INTEREST

www.elsevier.com/locate/contentsdirect

AUTHORS

**If you want to make the best of your artwork
send it in the correct digital format**

All articles accepted for publication in Elsevier Science journals are processed using electronic production methods. Authors should therefore ensure that their artwork conforms to the following guidelines:

- **Colour and greyscale images** should be supplied as **TIFF** or **EPS** files (resolution 300 dpi).
- **Line drawings (black & white or colour)** should be supplied as **EPS** files

If you need help to create files in these formats, go to www.elsevier.com/locate/authorartwork/formats

Please also note:

- We still need a good quality hard copy of each figure in case the electronic file cannot be used. The hard copy and electronic file must match exactly.
- We can use floppy disks, ZIP disks or CD-ROM. Artwork files should be on a separate disk or CD to article text files.
www.elsevier.com/locate/authorartwork/media
- Only standard fonts should be used, for example: *Times, Times New Roman, Helvetica, Arial, Symbol*
www.elsevier.com/locate/authorartwork/formats
- Lines should be a minimum width of 0.5 pt.
www.elsevier.com/locate/authorartwork/linewidth
- Only standard colours should be used.
www.elsevier.com/locate/authorartwork/colours
- Lettering should be a consistent size and appropriate to the size of the figure.
www.elsevier.com/locate/authorartwork/sizing
- An image which looks acceptable on a computer may not reproduce well, so it is important to ensure that these guidelines are followed.

*Our Author Artwork website has all the information you need on
how to submit your artwork correctly. Visit it today at:*

www.elsevier.com/locate/authorartwork



ELSEVIER



NORTH
HOLLAND



PERGAMON

Guide for Authors

Submission of Papers

Authors can upload their article as a **LaTeX**, **Microsoft® (MS) Word®**, **WordPerfect®**, **PostScript** or **Adobe® Acrobat® PDF** document via the Author Gateway page of this journal (<http://authors.elsevier.com/journal/jphotochem>), where you will also find a detailed description on its use. Alternatively, send three copies of your manuscript to one of the Editors by mail.

All authors other than those in the USA, Canada or Asia should submit their material to:

Editor-in-Chief: Professor R.P. Wayne

Physical and Theoretical Chemistry Laboratory
South Parks Road
Oxford OX1 3QZ
UK
FAX: +44 (1865) 275410
E-MAIL: jphoto@physchem.ox.ac.uk

Authors in the USA and Canada may submit their manuscripts to the North American Editor:

Professor R. Schmehl

Department of Chemistry
Tulane University
New Orleans, LA 70118
USA
FAX: +1-504-865-5596
E-MAIL: russ@tulane.edu

Authors in Asia should submit their manuscripts to the Asian Editor:

Professor H. Masuhara

Faculty of Engineering
Department of Applied Physics
Osaka University
Yamadaoka 2-1
Suita, Osaka 565-0871
Japan
FAX: +81 6 6876 8580
E-MAIL: masuhara@ap.eng.osaka-u.ac.jp

The full postal address, fax and telephone numbers, and e-mail address of the corresponding author must be given on the first (title) page of the manuscript. Contributions are accepted on the understanding that authors have obtained the necessary authority for publication. Submission of an article is understood to imply that the article is original and unpublished and is not being considered for publication elsewhere. Upon acceptance of an article by the journal, the author(s) will be asked to transfer the copyright of the article to the publisher. This transfer will ensure the widest possible dissemination of information.

Language

Please write your text in good English.

Authors in Japan please note that information about how to have the English of your paper checked corrected and improved (*before submission*) is available from: Elsevier Science Japan, Editorial Service, 1-9-15 Higashi Azabu, Minato-ku, Tokyo 106-0044, Japan; Tel.: +81-3-5561-5032; Fax: +81-3-5561-5045; E-mail: info@elsevier.co.jp

Preparation of manuscripts and illustrations

Please consult the full Guide for Authors of the journal in an early issue of the year, or online at the journal's Author Gateway at <http://authors.elsevier.com/journal/jphotochem>


Offprints

Fifty offprints are provided free of charge to the corresponding author. Extra offprints can be ordered at prices shown on the offprint order form.

Further Information

The Author Gateway also provides detailed artwork guidelines, copyright information, frequently asked question and more. Contact details for questions arising after acceptance of an article, especially those relating to proofs, are provided when an article is accepted for publication.

Visit the Author Gateway (<http://authors.elsevier.com>) for the facility to track accepted articles and set up e-mail alerts to inform you of when an article status has changed.



Authors did you know...

■ Your article published with Elsevier Science is also included in ScienceDirect, the world's largest scientific network, reaching over 9 million scientists and researchers at www.sciencedirect.com.

■ If your institute or organisation currently subscribes to ScienceDirect, you now have access to the full text of those journals in your subscription package at your desktop.

■ ScienceDirect allows you to keep track of citations to your article via e-mail. You can set up a personal profile to ensure you are kept up-to-date with publications in your specialist areas of research.

■ The publication of your article is announced in advance to thousands of registrants to our FREE e-mail alerting service **ContentsDirect**. Find out more by accessing www.elsevier.com/locate/contentsdirect

■ Your article will be available in the ScienceDirect electronic archive and as such accessible to the millions of scientists visiting our database for an unlimited period of time.

ScienceDirect provides the articles **you** need for **your** research – www.sciencedirect.com



To find out more about publishing your article with Elsevier Science, access www.elsevier.com/homepage/authors

